



DADA ELEKTRİKLİ EV ALETLERİ SAN. VE TİC. LTD. ŞTİ.
DADA ELECTRICAL HOME APPLIANCES CO. LTD.

PARTNER IN MANUFACTURE & PROGRESS

www.dada.com.tr



INTRODUCTION



Located in one of the culture and trade centers of the world; Istanbul - Turkey, DADA holds unique logistics advantages in the manufacture field.

The factory is standing on a 7500qm concrete structure. It's mainly divided into plastic injection, production, quality control facilities and office spaces next to the assembly quarters.

We are specialized in plastic injection pressing, manufacturing, R&D and marketing of household appliances and personal care products; such as blenders, hair dryers, vacuum cleaners and more.

Our point of view in manufacture is through different varieties of projects, costumers and market feedbacks since our establishment.

Producing reliable, strong and trustworthy goods require a few important steps in order to be reached. **DADA** puts all it's financial & administrative effort in order to achieve them.

We locate near the Ambarli Port of Istanbul. One of the busiest logistics spots of Turkey. This advantage lets us be responsive and swift regarding the FOB shipments.

Other types of Incoterm delivery types can be discussed according to the project.

DADA serves 3 different ways of manufacturing for dear costumers. Such as;

Contracted Finished Products

Semi-Finished Products

Partnered Manufacture



MANUFACTURE

Plastic Injection

A good finish job of the plastic parts and sub units is one of the most essential factors of the manufacturing process.


Our experienced team gives great deal of effort on the production process, caring about each element of every product.

The pressed plastic parts are checked by supervisors and process QC staff during both day and night shifts.

We work only with the best raw materials under RoHS regulations, procured from renowned suppliers.

Moulds are always maintained in our Mould Atelier within DADA's Plastic Injection Department

We always take precautions against mold deformations in order to keep on high quality production.



Production

Our unit production department consists of Design, Assembly, Silkscreen and Test Stations.

The locally required components are procured from the best local suppliers in their field.

The production is supervised by specialists in their field through every process.

The employee contracts are fulfilled with the governmental standards and requirements of the international standards.





A



B



C



D



E

Power: 230V, ~ 50/60 Hz, 1800W
 Long Life DC Motor
 Stainless Steel Shaft - Resistant to Heat
 4 Winged Stainless Steel Shaft Blade
 2 Speed Level (Normal & Turbo)
 304 Stainless Steel Housing Coating
 304 Stainless Steel Shaft Coating
 800ml. Measure Cup
 500ml. Chopper Bowl
 1100ml. Chopper Bowl (Jug) (4 Blade)
 1500ml. Chopper Bowl (2 or 4 Blade Option)
 1500ml. Bowl & 420 Stainless Steel Slicer Set (4 Blade Option)
 Whisk with 430 Stainless Steel Beater
 Mixer Set with 304 Stainless Steel Units

Certificates: CE, CB, LVD, EMC, LFGB, ROHS, REACH, ErP



A



B



C



D



E



F



Power: 230V, ~ 50/60 Hz, 1800W
 Long Life DC Motor
 Stainless Steel Shaft - Resistant to Heat
 4 Winged Stainless Steel Shaft Blade
 2 Speed Level [Normal & Turbo]
 800ml. Measure Cup
 500ml. Chopper Bowl
 1100ml. Chopper Bowl [Jug] (4 Blade)
 1500ml. Chopper Bowl (2 or 4 Blade Option)
 1500ml. Bowl & 420 Stainless Steel Slicer Set (4 Blade Option)
 Whisk with 430 Stainless Steel Beater
 Mixer Set with 304 Stainless Steel Units

Certificates: CE, CB, LVD, EMC, LFGB, ROHS, REACH, ErP



A



B



C



D



E



F



Power: 230V, ~ 50/60 Hz, 1800W
 Long Life DC Motor
 Stainless Steel Shaft - Resistant to Heat
 4 Winged Stainless Steel Shaft Blade
 2 Speed Level (Normal & Turbo)
 304 Stainless Steel Housing Coating
 304 Stainless Steel Shaft Coating
 800ml. Measure Cup
 500ml. Chopper Bowl (2 Blade)
 1100ml. Chopper Bowl (Jug) (4 Blade)
 1500ml. Chopper Bowl (2 or 4 Blade Option)
 1500ml. Bowl & 420 Stainless Steel Slicer Set (4 Blade Option)
 Whisk with 430 Stainless Steel Beater
 Mixer Set with 304 Stainless Steel Units

Certificates: CE, CB, LVD, EMC, LFGB, ROHS, REACH, ErP



A



B



C



D



E



F



Power: 230V, ~ 50/60 Hz, 1800W

Long Life DC Motor

Stainless Steel Shaft - Resistant to Heat

4 Winged Stainless Steel Shaft Blade

2 Speed Level (Normal & Turbo)

800ml. Measure Cup

500ml. Chopper Bowl

1100ml. Chopper Bowl (Jug) (4 Blade)

1500ml. Chopper Bowl (2 or 4 Blade Option)

1500ml. Bowl & 420 Stainless Steel Slicer Set (4 Blade Option)

Whisk with 430 Stainless Steel Beater

Mixer Set with 304 Stainless Steel Units

Certificates: CE, CB, LVD, EMC, LFGB, ROHS, REACH, ErP



A



B



C



D



E



F



Power: 230V, ~ 50/60 Hz, 1800W

Long Life DC Motor

Stainless Steel Shaft - Resistant to Heat

4 Winged Stainless Steel Shaft Blade

2 Speed Level (Normal & Turbo)

304 Stainless Steel Housing Coating

304 Stainless Steel Shaft Coating

800ml. Measure Cup

500ml. Chopper Bowl (2 Blade)

1100ml. Chopper Bowl (Jug) (4 Blade)

1500ml. Chopper Bowl (2 or 4 Blade Option)

1500ml. Bowl & 420 Stainless Steel Slicer Set (4 Blade Option)

Whisk with 430 Stainless Steel Beater

Mixer Set with 304 Stainless Steel Units

Certificates: CE, CB, LVD, EMC, LFGB, ROHS, REACH, ErP



A



B



C



D



E



F



Power: 230V, ~ 50/60 Hz, 1800W

Long Life DC Motor

Stainless Steel Shaft - Resistant to Heat

4 Winged Stainless Steel Shaft Blade

2 Speed Level (Normal & Turbo)

800ml. Measure Cup

500ml. Chopper Bowl

1100ml. Chopper Bowl (Jug) (4 Blade)

1500ml. Chopper Bowl (2 or 4 Blade Option)

1500ml. Bowl & 420 Stainless Steel Slicer Set (4 Blade Option)

Whisk with 430 Stainless Steel Beater

Mixer Set with 304 Stainless Steel Units

Certificates: CE, CB, LVD, EMC, LFGB, ROHS, REACH, ErP



A



B



C



D



E



F



Power: 230V, ~ 50/60 Hz, 1800W

Long Life DC Motor

Stainless Steel Shaft - Resistant to Heat

4 Winged Stainless Steel Shaft Blade

2 Speed Level (Normal & Turbo)

304 Stainless Steel Housing Coating

304 Stainless Steel Shaft Coating

800ml. Measure Cup

500ml. Chopper Bowl (2 Blade)

1100ml. Chopper Bowl (Jug) (4 Blade)

1500ml. Chopper Bowl (2 or 4 Blade Option)

1500ml. Bowl & 420 Stainless Steel Slicer Set (4 Blade Option)

Whisk with 430 Stainless Steel Beater

Mixer Set with 304 Stainless Steel Units

Certificates: CE, CB, LVD, EMC, LFGB, ROHS, REACH, ErP



A



B



C



D



E



F



Power: 230V, ~ 50/60 Hz, 1800W

Long Life DC Motor

Stainless Steel Shaft - Resistant to Heat

4 Winged Stainless Steel Shaft Blade

2 Speed Level (Normal & Turbo)

800ml. Measure Cup

500ml. Chopper Bowl

1100ml. Chopper Bowl (Jug) (4 Blade)

1500ml. Chopper Bowl (2 or 4 Blade Option)

1500ml. Bowl & 420 Stainless Steel Slicer Set (4 Blade Option)

Whisk with 430 Stainless Steel Beater

Mixer Set with 304 Stainless Steel Units

Certificates: CE, CB, LVD, EMC, LFGB, ROHS, REACH, ErP



A



B



C



D



E



F



Power: 230V, ~ 50/60 Hz, 1800W

Long Life DC Motor

Stainless Steel Shaft - Resistant to Heat

4 Winged Stainless Steel Shaft Blade

2 Speed Level [Normal & Turbo]

800ml. Measure Cup

500ml. Chopper Bowl

1100ml. Chopper Bowl [Jug] [4 Blade]

1500ml. Chopper Bowl [2 or 4 Blade Option]

1500ml. Bowl & 420 Stainless Steel Slicer Set [4 Blade Option]

Whisk with 430 Stainless Steel Beater

Mixer Set with 304 Stainless Steel Units

Certificates: CE, CB, LVD, EMC, LFGB, ROHS, REACH, ErP



A



B



C



D



E



F



Power: 230V, ~ 50/60 Hz, 1800W

Long Life DC Motor

Stainless Steel Shaft - Resistant to Heat

4 Winged Stainless Steel Shaft Blade

2 Speed Level (Normal & Turbo)

800ml. Measure Cup

500ml. Chopper Bowl

1100ml. Chopper Bowl (Jug) (4 Blade)

1500ml. Chopper Bowl (2 or 4 Blade Option)

1500ml. Bowl & 420 Stainless Steel Slicer Set (4 Blade Option)

Whisk with 430 Stainless Steel Beater

Mixer Set with 304 Stainless Steel Units

Certificates: CE, CB, LVD, EMC, LFGB, ROHS, REACH, ErP



A



B



C



D



E



F



Power: 230V, ~ 50/60 Hz, 1800W

Long Life DC Motor

Stainless Steel Shaft - Resistant to Heat

4 Winged Stainless Steel Shaft Blade

2 Speed Level (Normal & Turbo)

800ml. Measure Cup

500ml. Chopper Bowl

1100ml. Chopper Bowl (Jug) (4 Blade)

1500ml. Chopper Bowl (2 or 4 Blade Option)

1500ml. Bowl & 420 Stainless Steel Slicer Set (4 Blade Option)

Whisk with 430 Stainless Steel Beater

Mixer Set with 304 Stainless Steel Units

Certificates: CE, CB, LVD, EMC, LFGB, ROHS, REACH, ErP



A



B



C



D



E



F



Power: 230V, ~ 50/60 Hz, 1800W

Long Life DC Motor

Stainless Steel Shaft - Resistant to Heat

4 Winged Stainless Steel Shaft Blade

2 Speed Level (Normal & Turbo)

800ml. Measure Cup

500ml. Chopper Bowl

1100ml. Chopper Bowl (Jug) (4 Blade)

1500ml. Chopper Bowl (2 or 4 Blade Option)

1500ml. Bowl & 420 Stainless Steel Slicer Set (4 Blade Option)

Whisk with 430 Stainless Steel Beater

Mixer Set with 304 Stainless Steel Units

Certificates: CE, CB, LVD, EMC, LFGB, ROHS, REACH, ErP



A



B



C



D



E



F



Power: 230V, ~ 50/60 Hz, 1800W

Long Life DC Motor

Stainless Steel Shaft - Resistant to Heat

4 Winged Stainless Steel Shaft Blade

2 Speed Level (Normal & Turbo)

800ml. Measure Cup

500ml. Chopper Bowl

1100ml. Chopper Bowl (Jug) [4 Blade]

1500ml. Chopper Bowl (2 or 4 Blade Option)

1500ml. Bowl & 420 Stainless Steel Slicer Set (4 Blade Option)

Whisk with 430 Stainless Steel Beater

Mixer Set with 304 Stainless Steel Units

Certificates: CE, CB, LVD, EMC, LFGB, ROHS, REACH, ErP



A



B



C



D



E



F



Power: 230V, ~ 50/60 Hz, 1800W

Long Life DC Motor

Stainless Steel Shaft - Resistant to Heat

4 Winged Stainless Steel Shaft Blade

2 Speed Level (Normal & Turbo)

800ml. Measure Cup

500ml. Chopper Bowl

1100ml. Chopper Bowl (Jug) (4 Blade)

1500ml. Chopper Bowl (2 or 4 Blade Option)

1500ml. Bowl & 304 Stainless Steel Slicer Set (4 Blade Option)

Whisk with 304 Stainless Steel Beater

Mixer Set with 304 Stainless Steel Units

Certificates: CE, CB, LVD, EMC, LFGB, ROHS, REACH, ErP



A



B



C



D

Power: 230V, ~ 50/60 Hz, 400W
Long Life DC Motor
Stainless Steel Shaft - Resistant to Heat
4 Winged Stainless Steel Shaft Blade
2 Speed Level (Normal & Turbo)
800ml. Measure Cup
500ml. Chopper Bowl
1100ml. Chopper Bowl (Jug) (4 Blade)
1500ml. Chopper Bowl (2 or 4 Blade Option)
1500ml. Bowl & 304 Stainless Steel Slicer Set (4 Blade Option)
Whisk with 304 Stainless Steel Beater
Mixer Set with 304 Stainless Steel Units

Certificates: CE, CB, LVD, EMC, LFGB, ROHS, REACH, ErP



A

Packed In Export Box 12 pcs.
Export Box Size: 330*245*430 mm
20 DC : 9660 pcs
40 DC : 20364 pcs
40 HQ : 24156 pcs
Truck : 26568 pcs



B

Packed In Export Box 12 pcs.
Export Box Size: 535*535*245 mm
20 DC : 4788 pcs
40 DC : 10092 pcs
40 HQ : 11976 pcs
Truck : 13176 pcs



C

Packed In Export Box 6 pcs.
Export Box Size: 495*460*290mm
20 DC : 2544 pcs
40 DC : 5358 pcs
40 HQ : 6360 pcs
Truck : 6996 pcs



D

Packed In Export Box 6 pcs.
Export Box Size: 450*495*300mm
20 DC : 2514 pcs
40 DC : 5292 pcs
40 HQ : 6282 pcs
Truck : 6912 pcs



E

Packed In Export Box 4 pcs.
Export Box Size: 670*540*245 mm
20 DC : 1260 pcs
40 DC : 2660 pcs
40 HQ : 3156 pcs
Truck : 3472 pcs



F

Packed In Export Box 4 pcs.
Export Box Size: 745*665*260 mm
20 DC : 868 pcs
40 DC : 1832 pcs
40 HQ : 2172 pcs
Truck : 2388 pcs

HB-1907S



Power: 230V, ~ 50/60 Hz, 1800W

Long Life DC Motor

Stainless Steel Shaft - Resistant to Heat

4 Winged Stainless Steel Shaft Blade

2 Speed Level (Normal & Turbo)

304 Stainless Steel Housing Coating

304 Stainless Steel Shaft Coating

800ml. Measure Cup

500ml. Chopper Bowl (2 or 4 Blade Option)

1 100ml. Chopper Bowl (Jug) (4 Blade)

1500ml. Chopper Bowl (2 or 4 Blade Option)

1500ml. Bowl & 420 Stainless Steel Slicer Set

Whisk with 430 Stainless Steel Beater

Mixer Set with 304 Stainless Steel Units

Certificates: CE, CB, LVD, EMC, LFGB, ROHS, REACH, ErP



HM-01

220-240V 50/60Hz 150W

AC Motor

Egg Beating

Continuously adjustable 5-speed control

Streamlined decorative strip design for a more perfect appearance

Egg beaters and flour sticks are available in stainless steel and chrome-plated steel

Packed In Export Box 12 pcs.

Export Box Size: 610*460*205 mm

20 DC : 5832 pcs

40 DC : 12300 pcs

40 HQ : 14592 pcs

Truck : 16056 pcs

**HM-02**

220-240V 50/60Hz 150W

AC Motor

Egg Beating

Continuously adjustable 5-speed control

Streamlined decorative strip design for a more perfect appearance

Egg beaters and flour sticks are available in stainless steel and chrome-plated steel

Packed In Export Box pcs.

Export Box Size: mm

20 DC : pcs

40 DC : pcs

40 HQ : pcs

Truck : pcs

PK-01



220-240V, ~ 50/60 Hz, 1800-2200W

360° Rotational Plastic Kettle

With Jiatai/Sunlight Controller

Boil Dry Protection

Automatically Turns OFF When Water Boils

68cm. 3x0,75 mm Round Power Cord

Cord-Storage

Easy to clean

Anti-Slip Feet Design

Packed In Export Box 6 pcs.

Export Box Size: 540*440*235 mm

20 DC : 3006 pcs

40 DC : 6336 pcs

40 HQ : 7518 pcs

Truck : 8274 pcs

HD-558A



220-240V 50/60Hz 1800-2200W
 Long Life DC Motor
 2 Stage Speed and 3 Stage Heating
 1.65m. Flat Power Cord
 Hanging Hock
 Overheating Protection
 Narrow - Tipped Air Concentrator
 Optional Comb Diffuser

Packed In Export Box 6 pcs.
 Export Box Size: 495*335*310 mm

20 DC : 3264 pcs
 40 DC : 6882 pcs
 40 HQ : 8166 pcs
 Truck : 8982 pcs

HD-558B



220-240V 50/60Hz 1800-2200W
 Long Life DC Motor
 2 Stage Speed and 3 Stage Heating
 1.65m. Flat Power Cord
 Hanging Hock
 Overheating Protection
 Narrow - Tipped Air Concentrator
 Optional Comb Diffuser

Packed In Export Box 6 pcs.
 Export Box Size: 495*335*310 mm

20 DC : 3264 pcs
 40 DC : 6882 pcs
 40 HQ : 8166 pcs
 Truck : 8982 pcs

HD-558D



220-240V 50/60Hz 1800-2200W
 Long Life DC Motor
 2 Stage Speed and 3 Stage Heating
 1.65m. Flat Power Cord
 Hanging Hock
 Overheating Protection
 Narrow - Tipped Air Concentrator
 Optional Comb Diffuser

Packed In Export Box 6 pcs.
 Export Box Size: 495*335*310 mm

20 DC : 3264 pcs
 40 DC : 6882 pcs
 40 HQ : 8166 pcs
 Truck : 8982 pcs

HD-558E



220-240V 50/60Hz 1800-2200W

Long Life DC Motor

2 Stage Speed and 3 Stage Heating

1.65m. Flat Power Cord

Hanging Hock

Overheating Protection

Narrow - Tipped Air Concentrator

Optional Comb Diffuser

Packed In Export Box 6 pcs.

Export Box Size: 495*335*310 mm

20 DC : 3264 pcs

40 DC : 6882 pcs

40 HQ : 8166 pcs

Truck : 8982 pcs

HD-558F



220-240V 50/60Hz 1800-2200W

Long Life DC Motor

2 Stage Speed and 3 Stage Heating

1.65m. Flat Power Cord

Hanging Hock

Overheating Protection

Narrow - Tipped Air Concentrator

Optional Comb Diffuser

Packed In Export Box 6 pcs.

Export Box Size: 495*335*310 mm

20 DC : 3264 pcs

40 DC : 6882 pcs

40 HQ : 8166 pcs

Truck : 8982 pcs

HD-558G



220-240V 50/60Hz 1800-2200W

Long Life DC Motor

2 Stage Speed and 3 Stage Heating

1.65m. Flat Power Cord

Hanging Hock

Overheating Protection

Narrow - Tipped Air Concentrator

Optional Comb Diffuser

Removable and Cleanable Air Inlet Grid

Packed In Export Box 6 pcs.

Export Box Size: 495*335*310 mm

20 DC : 3264 pcs

40 DC : 6882 pcs

40 HQ : 8166 pcs

Truck : 8982 pcs

HD-558H



220-240V 50/60Hz 1800-2200W

Long Life DC Motor

2 Stage Speed and 3 Stage Heating

1.65m. Flat Power Cord

Hanging Hock

Overheating Protection

Narrow - Tipped Air Concentrator

Optional Comb Diffuser

Packed In Export Box 6 pcs.

Export Box Size: 495*335*310 mm

20 DC : 3264 pcs

40 DC : 6882 pcs

40 HQ : 8166 pcs

Truck : 8982 pcs

HD-558



220-240V 50/60Hz 1800-2200W

Long Life DC Motor

2 Stage Speed and 3 Stage Heating

1.65m. Flat Power Cord

Hanging Hock

Overheating Protection

Narrow - Tipped Air Concentrator

Optional Comb Diffuser

Removable and Cleanable Air Inlet Grid

Packed In Export Box 6 pcs.

Export Box Size: 495*335*310 mm

20 DC : 3264 pcs

40 DC : 6882 pcs

40 HQ : 8166 pcs

Truck : 8982 pcs

HD-2059



220-240V 50/60Hz 1800-2200W

Long Life DC Motor

2 Stage Speed and 3 Stage Heating

1.65m. Flat Power Cord

Hanging Hock

Overheating Protection

Narrow - Tipped Air Concentrator

Optional Comb Diffuser

Removable and Cleanable Air Inlet Grid

Packed In Export Box 6 pcs.

Export Box Size: 495*335*310 mm

20 DC : 3264 pcs

40 DC : 6882 pcs

40 HQ : 8166 pcs

Truck : 8982 pcs

HD-778A



220-240V 50/60Hz 1800-2000W
 Long Life DC Motor
 2 Stage Speed and 2 Stage Heating
 1.65m. Flat Power Cord
 Hanging Hock
 Overheating Protection
 Narrow - Tipped Air Concentrator
 Optional Comb Diffuser
 Removable and Cleanable Air Inlet Grid

Packed In Export Box 6 pcs.
 Export Box Size: 495*335*310 mm
 20 DC : 3264 pcs
 40 DC : 6882 pcs
 40 HQ : 8166 pcs
 Truck : 8982 pcs

HD-778B



220-240V 50/60Hz 1800-2000W
 Long Life DC Motor
 2 Stage Speed and 2 Stage Heating
 1.65m. Flat Power Cord
 Hanging Hock
 Overheating Protection
 Narrow - Tipped Air Concentrator
 Optional Comb Diffuser

Packed In Export Box 6 pcs.
 Export Box Size: 495*335*310 mm
 20 DC : 3264 pcs
 40 DC : 6882 pcs
 40 HQ : 8166 pcs
 Truck : 8982 pcs

HD-778C



220-240V 50/60Hz 1800-2000W
 Long Life DC Motor
 2 Stage Speed and 2 Stage Heating
 1.65m. Flat Power Cord
 Hanging Hock
 Overheating Protection
 Narrow - Tipped Air Concentrator
 Optional Comb Diffuser

Packed In Export Box 6 pcs.
 Export Box Size: 495*335*310 mm
 20 DC : 3264 pcs
 40 DC : 6882 pcs
 40 HQ : 8166 pcs
 Truck : 8982 pcs

HD-778D



220-240V 50/60Hz 1800-2000W
Long Life DC Motor
2 Stage Speed and 2 Stage Heating
1.65m. Flat Power Cord
Hanging Hock
Overheating Protection
Narrow - Tipped Air Concentrator
Optional Comb Diffuser

Packed In Export Box 6 pcs.
Export Box Size: 495*335*310 mm

20 DC : 3264 pcs
40 DC : 6882 pcs
40 HQ : 8166 pcs
Truck : 8982 pcs

HD-778E



220-240V 50/60Hz 1800-2000W
Long Life DC Motor
2 Stage Speed and 2 Stage Heating
1.65m. Flat Power Cord
Hanging Hock
Overheating Protection
Narrow - Tipped Air Concentrator
Optional Comb Diffuser

Packed In Export Box 6 pcs.
Export Box Size: 495*335*310 mm

20 DC : 3264 pcs
40 DC : 6882 pcs
40 HQ : 8166 pcs
Truck : 8982 pcs

HD-5906

Power: 220-240V BLDC, ~ 50/60 Hz, 1700-2000W

Cool Wind Function

3 Speeds & 3 Heat Settings

With 110,000 RPM (RPM: round per minute)

With concentrator, self-clean function,

LED light indication and

constant temperature function

Long Life BLDC Motor, T design shape

Accessories options: nozzle attachment,
paddle brush, diffuser, L & R auro-wrap curlers
(more options available upon request)

Packed In Export Box 4 pcs.

Export Box Size: 440*365*396mm

20 DC : 1760 pcs

40 DC : 3708 pcs

40 HQ : 4400 pcs

Truck : 4840 pcs



HD-5915

Power: 220-240V BLDC, ~ 50/60 Hz, 1700-2000W

Cool Wind Function

3 Speeds & 3 Heat Settings

With 110,000 RPM (RPM: round per minute)

With concentrator, self-clean function,

LED light indication and

constant temperature function

Long Life BLDC Motor, T design shape

Accessories options: nozzle attachment,
paddle brush, diffuser, L & R auro-wrap curlers
(more options available upon request)

Packed In Export Box 4 pcs.

Export Box Size: 440*365*396mm

20 DC : 1760 pcs

40 DC : 3708 pcs

40 HQ : 4400 pcs

Truck : 4840 pcs



HS-816



Power: 220-240V BLDC, ~ 50/60 Hz, 1500W

Cool Wind Function in green indicator

2 Speeds & 3 Heat Settings: green,yellow,red indicator

With 110,000 RPM (RPM: round per minute)

With LED light indication

Long press cool shot for Self-clean function

Long Life BLDC Motor

With 6 different accessory option

Packed In Export Box 4 pcs.

Export Box Size: 450*370*375mm

20 DC : 1792 pcs

40 DC : 3776 pcs

40 HQ : 4484 pcs

Truck : 4932 pcs

HS-3000A



Power: 220-240V BLDC, ~ 50/60 Hz, 1400-1600W

Cool Wind Function in blue indicator

3 Speeds & 3 Heat Settings: green,yellow,red indicator

With 110,000 RPM (RPM: round per minute)

With LED light indication

Long Life BLDC Motor

With 6 different accessory option

110,000rpm BLDC hair styler

- * Double foldable
- * low noise to 76db
- * 220-240V, 50/60Hz, 1400-1600W
- * PID temperature control.
- * Triple heat protection design

RVC-211



Power: 400W BLDC
25.9V/2200mAh battery
Hand Vacuum Cleaner Feature
Charging Time: 4-5 H
HEPA Filter
3 Suction Power Settings
(Eco:55min Mid:26min, Turbo:15min)
LED Display, Speed Control
Charging wall bracket assembly,
long crevice tool, 2 in 1 brush, adapter

Packed As Shrink Package 4 pcs.
Shrink Package Size: 715*490*457 mm

20 DC : 696 pcs
40 DC : 1472 pcs
40 HQ : 1748 pcs
Truck : 1920 pcs



RVC-09



Power: 160W

22.2V DC / 2200 mA

Charging Time: 4-5 H

F9 Hepa Filter

2 Suction Power Settings

Hand Vacuum Cleaner Feature

1,2 L Dust Hopper

Ability to Stand Upright

Ergonomic Handle

Anodized Aluminium Tube

Wall bracket assembly, crevice tool,
soft dusting crevice, adapter

Packed As Shrink Package 4 pcs.

Shrink Package Size: 760*520*470 mm

20 DC : 600 pcs

40 DC : 1268 pcs

40 HQ : 1504 pcs

Truck : 1656 pcs



RVC-198



Power: 350W BLDC , 25.9V/ 2000mAh battery

Input Voltage: 100-240V , 50/60 Hz

Hand Vacuum Cleaner Feature

Charging Time: 4-5 H

HEPA 12 Filter

3 Suction Power Settings

(Eco:40min , Mid:25min, Turbo:12min)

LED Display, Speed Control Button

Wall bracket assembly, crevice tool, 2 in 1 crevice, adapter

Packed As Shrink Package 2 pcs.

Shrink Package Size: 725*380*270 mm

20 DC : 752 pcs

40 DC : 1586 pcs

40 HQ : 1882 pcs

Truck : 2070 pcs

VC-AXOR



Power: 800W, 220V-240V, 50/60 Hz

Hand Vacuum Cleaner Feature

1,2 L Dust Hopper

Ability to Stand Upright

5 m Flat Cable

Ergonomic Handle

Optional Triangle Floor Brush

Anodized Aluminium Tube

Crevice Tool

Packed As Shrink Package 2 pcs.

Shrink Package Size: 670*485*205 mm

20 DC : 840 pcs

40 DC : 1770 pcs

40 HQ : 2100 pcs

Truck : 2310 pcs

VC-APOLLO



Power: 800W, 220V-240V, 50/60 Hz

Hand Vacuum Cleaner Feature

1,2 L Dust Hopper

Ability to Stand Upright

5 m Flat Cable

Ergonomic Handle

Optional Triangle Floor Brush

Anodized Aluminium Tube

Crevice Tool

Packed As Shrink Package 2 pcs.

Shrink Package Size: 650*485*210 mm

20 DC : 844 pcs

40 DC : 1782 pcs

40 HQ : 2114 pcs

Truck : 2326 pcs

VC-610



Power: 600W, 220V-240V, 50/60 Hz

Hand Vacuum Cleaner Feature

0,6 L Dust Capacity

Ability to Stand Upright

5 m Flat Cable

Ergonomic Handle

HEPA Filter

Normal Brush

Aluminium Tube

Transparent Dust Housing

Crevice Tool

Packed In Export Box 6 pcs.

Export Box Size: 715*387*319 mm

20 DC : 1902 pcs

40 DC : 4008 pcs

40 HQ : 4758 pcs

Truck : 5232 pcs

PB-01



Power: 220-240V, ~ 50/60 Hz, 300W
AC Class155 Motor
HK04-G Push and Hold Switch
House Capacity 400ml & 600ml

GK-01



Power: 220-240V AC, ~ 50/60 Hz, 1800-2000W

1.8 Lt. Water Capacity

360° Rotational Glass Kettle

Manual Lid-Opening Function

With Jiatai/Sunlight Controller

LED Light Surrounding While Power On

Random Colour Transition By LED Light Surrounding

Boil Dry Protection

Automatically Turns OFF When Water Boils

Cord-Storage

High Boron Explosion Proof Glass

Without Steam Tube Inside, Easy for Clean

Anti-Slip Feet Design

Packed In Export Box 4 pcs.

Export Box Size: 445*370*265 mm

20 DC : 2564 pcs

40 DC : 5408 pcs

40 HQ : 6416 pcs

Truck : 7056 pcs



dada

DADA ELEKTRİKLİ EV ALETLERİ SAN. VE TİC. LTD. ŞTİ.
DADA ELECTRICAL HOME APPLIANCES CO., LTD.



Cihangir Mah. Şehit Murat Şengöz Sok. No:6 - Postal Code: 34315
Avcılar / İstanbul / TÜRKİYE



+90 212 422 63 22



dada_evaetleri



info@dada.com.tr



www.dada.com.tr

CONTACT

gokhan.balkan@dada.com.tr - maria.yay@dada.com.tr



dada

DADA ELEKTRİKLİ EV ALETLERİ SAN. VE TİC. LTD. ŞTİ.
DADA ELECTRICAL HOME APPLIANCES CO., LTD.



Cihangir Mah. Şehit Murat Şengöz Sok. No:6 - Postal Code: 34315
Avcılar / İstanbul / TÜRKİYE



+90 212 422 63 22



dada_evaetleri



info@dada.com.tr



www.dada.com.tr

CONTACT

gokhan.balkan@dada.com.tr - maria.yay@dada.com.tr